Message

From: Alan Malagon [alanmalagon@bowyerenvironmental.com]

Sent: 7/19/2019 11:19:35 PM

To: Castellana, Ben [castellana.ben@epa.gov]; Ehe, Robert@Waterboards [Robert.Ehe@waterboards.ca.gov]

CC: Danny Dolan [dannydolan@bowyerenvironmental.com]; Brett Bowyer [brettbowyer@bowyerenvironmental.com]

Subject: RE: 210 W. Slauson Attachments: ATT00001.txt

Hello All,

Just to confirm, the soil vapor sampling event has been scheduled for next Tuesday 7/23. We will be getting started at about 9:00 AM.

Warm Regards,

Alan A. Malagon, MSE, EIT

Staff Engineer

ı	The Date is large recent for Digitage. The The new form consess, recently, and delical The Date is the provide the normal Date and Amelian.
П	
П	
П	
П	
П	
П	
П	
П	
П	
П	
П	
L	L
	17011 Decel - Decel Colt- 000

17011 Beach Boulevard, Suite 900 Huntington Beach, CA 92647 Office: (877) 232-4620 ext. 106

Fax: (714) 494-1912 Mobile: (909) 653-5585

"Helping to Achieve Business Objectives and Environmental Quality"

PRIVILEGED AND CONFIDENTIAL

This e-mail may contain material that is confidential, privileged and/or attorney work product for the sole use of the intended recipient(s). All information transmitted hereby is intended solely for the viewing and use of the addressee(s) named above. If you are not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient(s), please note that any further reading, printing, copying or other distribution of this message is strictly prohibited. If you have received this message in error, please notify us immediately by telephone or reply e-mail and delete the message from your e-mail system.

To comply with IRS regulations, we advise you that any discussion of Federal tax issues in this e-mail was not intended or written to be used, and cannot be used by you, (i) to avoid any penalties imposed under the Internal Revenue Code or (ii) to promote, market or recommend to another party any transaction or matter addressed herein.

From: Castellana, Ben <castellana.ben@epa.gov>

Sent: Monday, July 15, 2019 7:55 AM

To: Alan Malagon <alanmalagon@bowyerenvironmental.com>; Ehe, Robert@Waterboards

<Robert.Ehe@waterboards.ca.gov>

Subject: RE: 210 W. Slauson

Hi Alan, et al.,

I think it would be worth a conversation about the soil gas concentrations at SV-06, as well, where benzene and gasoline exceed the residential screening level. It suggests a threat of soil vapor intrusion to the adjacent residence (south), which should be investigated. I think a crawlspace sample may be in order. Robert Ehe, what are your thoughts on this?

I do think boring to additional depth is warranted, but I do not want planning or execution of that step-out to impact the timing for the current report schedule, or planning for the soil removal, for that matter. I would like some clarity on the status of the house demolition, as well.

Thank you for your efforts to date.

Sincerely,

Ben Castellana, Ph.D.
On-Scene Coordinator
US EPA Region 9
Superfund Emergency Response
(562) 305-0694 cell

From: Alan Malagon <alanmalagon@bowyerenvironmental.com>

Sent: Thursday, July 11, 2019 2:27 PM

To: Ehe, Robert@Waterboards <Robert.Ehe@waterboards.ca.gov>; Castellana, Ben <castellana.ben@epa.gov>

Cc: Danny Dolan <dannydolan@bowyerenvironmental.com>; Brett Bowyer

brettbowyer@bowyerenvironmental.com>

Subject: 210 W. Slauson

Hello Robert,

Please see the attached draft figures and tables. As shown, SV-2 and SV-3 on the neighboring residential property TPHG and benzene concentrations at 15 feet that are slightly in excess of the screening criteria. Given these result, we would like to collect additional soil samples from these two locations to depths of up to 60 feet. All of the methods and protocols described in the approved workplan will be utilized.

I spoke about this with Ben Castellana already and he is okay with the this approach. Could you please call me or respond to this email to let me know if doing the deeper drilling at these two locations is okay with you as well.

Warm Regards,

Alan A. Malagon, MSE, EIT
Staff Engineer

17011 Beach Boulevard, Suite 900 Huntington Beach, CA 92647

Office: (877) 232-4620 Fax: (714) 494-1912

"Helping to Achieve Business Objectives and Environmental Quality"